

Safety Data Sheet

Issue Date: 09-Nov-2015

Revision Date: 13-Nov-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name CXE-403, Coating, Part B

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Epoxy Coating System

Details of the supplier of the safety data sheet

Supplier Address

Corvixx Polymers Corporation
7070 Lyndon Avenue
Rosemont, IL 60018

Emergency Telephone Number

Company Phone Number 1-855-827-8500
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical State Liquid

Odor Characteristic

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Signal Word

Danger

Hazard Statements

Harmful if swallowed
Harmful in contact with skin
Harmful if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction
May cause genetic defects
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

Most important symptoms and effects

Symptoms	Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause genetic defects. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Use personal protective equipment as required.
-----------------------------	--

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
Proprietary phenol	TWA: 5 ppm S*	TWA: 5 ppm TWA: 19 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m ³ S*	IDLH: 250 ppm Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m ³ 15 min TWA: 5 ppm TWA: 19 mg/m ³
Proprietary solvent	-	-	TWA: 25 ppm TWA: 125 mg/m ³
Proprietary acid	TWA: 5 mg/m ³ inhalable fraction and vapor	-	-

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State	Liquid	Odor	Characteristic
Appearance	Not determined	Odor Threshold	Not determined
Color	Not determined		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	Not determined	

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Harmful in contact with skin. Causes severe skin burns.
Inhalation	Harmful if inhaled.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary alcohol	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h
Proprietary amine	= 1000 mg/kg (Rat)	-	-
Triethylene tetramine 112-24-3	= 2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Proprietary phenol	= 340 mg/kg (Rat) = 317 mg/kg (Rat)	= 630 mg/kg (Rabbit)	= 316 mg/m ³ (Rat) 4 h
Proprietary solvent	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-

Proprietary solvent	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Proprietary solvent	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m ³ (Rat) 4 h
Proprietary acid	= 1600 mg/kg (Rat)	= 1140 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Proprietary phenol		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Reproductive toxicity Suspected of damaging fertility or the unborn child.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary alcohol	35: 3 h <i>Anabaena variabilis</i> mg/L EC50	460: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Acetic acid 64-19-7		79: 96 h <i>Pimephales promelas</i> mg/L LC50 static 75: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	EC50 = 8.8 mg/L 15 min EC50 = 8.8 mg/L 25 min EC50 = 8.8 mg/L 5 min	65: 48 h <i>Daphnia magna</i> mg/L EC50 Static 47: 24 h <i>Daphnia magna</i> mg/L EC50
Proprietary amine		46 - 100: 96 h <i>Leuciscus idus</i> mg/L LC50 static		
Triethylene tetramine 112-24-3	2.5: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 20: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 3.7: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	570: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 495: 96 h <i>Pimephales promelas</i> mg/L LC50		31.1: 48 h <i>Daphnia magna</i> mg/L EC50

Proprietary phenol	46.42: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.0188 - 0.1044: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 187 - 279: 72 h Desmodesmus subspicatus mg/L EC50 static	11.9 - 50.5: 96 h Pimephales promelas mg/L LC50 flow-through 20.5 - 25.6: 96 h Pimephales promelas mg/L LC50 static 32: 96 h Pimephales promelas mg/L LC50 23.4 - 36.6: 96 h Oryzias latipes mg/L LC50 static 27.8: 96 h Brachydanio rerio mg/L LC50 0.00175: 96 h Cyprinus carpio mg/L LC50 semi-static 33.9 - 43.3: 96 h Oryzias latipes mg/L LC50 flow-through 11.5: 96 h Lepomis macrochirus mg/L LC50 semi-static 34.09 - 47.64: 96 h Poecilia reticulata mg/L LC50 static 31: 96 h Poecilia reticulata mg/L LC50 semi-static 5.0 - 12.0: 96 h Oncorhynchus mykiss mg/L LC50 13.5: 96 h Lepomis macrochirus mg/L LC50 static 11.9 - 25.3: 96 h Lepomis macrochirus mg/L LC50 flow-through 5.449 - 6.789: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.5 - 14: 96 h Oncorhynchus mykiss mg/L LC50 static 4.23 - 7.49: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min	4.24 - 10.7: 48 h Daphnia magna mg/L EC50 Static 10.2 - 15.5: 48 h Daphnia magna mg/L EC50
Proprietary solvent		2200: 96 h Pimephales promelas mg/L LC50		2.6: 96 h Chaetogammarus marinus mg/L LC50
Proprietary solvent		9.22: 96 h Oncorhynchus mykiss mg/L LC50		6.14: 48 h Daphnia magna mg/L EC50
Proprietary acid	61: 72 h Desmodesmus subspicatus mg/L EC50 41: 96 h Desmodesmus subspicatus mg/L EC50	70: 96 h Pimephales promelas mg/L LC50	EC50 = 110 mg/L 17 h EC50 = 670 mg/L 30 min	85.4: 48 h Daphnia magna mg/L EC50
Proprietary solvent		7.19 - 8.28: 96 h Pimephales promelas mg/L LC50 flow-through		6.14: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Proprietary alcohol	1.1
Acetic acid 64-19-7	-0.31
Proprietary amine	2.03
Triethylene tetramine 112-24-3	-1.4
Proprietary phenol	1.47
Proprietary acid	2.7
Proprietary solvent	3.63

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Proprietary phenol	U188	Included in waste stream: K060		U188

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Acetic acid 64-19-7	Toxic Corrosive Ignitable
Proprietary phenol	Toxic Corrosive

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN1760
Proper Shipping Name Corrosive liquids, n.o.s. (Acetic acid, Triethylene tetramine)
Hazard Class 8
Packing Group II

IATA

UN/ID No UN1760
Proper Shipping Name Corrosive liquids, n.o.s. (Acetic acid, Triethylene tetramine)
Hazard Class 8
Packing Group II

IMDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquids, n.o.s. (Acetic acid, Triethylene tetramine)
Hazard Class 8
Packing Group II
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary alcohol	Present	X		Present		Present	X	Present	X	X
Acetic acid	Present	X		Present		Present	X	Present	X	X

Triethylene tetramine	Present	X		Present		Present	X	Present	X	X
Proprietary phenol	Present	X		Present		Present	X	Present	X	X
Proprietary solvent	Present	X		Present		Present	X	Present	X	X
Proprietary solvent	Present	X		Present		Present	X	Present	X	X
Proprietary acid	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid 64-19-7	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Proprietary phenol	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary phenol -		<5	1.0
Proprietary solvent -		<1	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			X
Proprietary phenol	1000 lb	X	X	X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Proprietary alcohol		X	X
Acetic acid 64-19-7	X	X	X
Triethylene tetramine 112-24-3	X	X	X
Proprietary phenol	X	X	X
Proprietary solvent	X	X	X
Proprietary acid	X	X	

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date: 09-Nov-2015
 Revision Date: 13-Nov-2015
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet